


PERSONAL PROTECTIVE EQUIPMENT & SAFETY GEAR

SAFETY FIRST IS SAFETY ALWAYS 2015 Vol.1







CES is Thailand's exclusive importer and distributor of quality personal protective equipment and safety products.

CES offers their customers application specific expertise in enhancing on-site processes ensuring employees are correctly equipped for the right task. Our range of head to toe safety products are supplied from internationally renowned brands.

PPE & SAFETY PRODUCTS

- Head Protection
- Eye Protection
- Ear Protection
- Breathing Protection
- Body Protection
- Hand Protection
- Foot Protection
- Safety Workwear
- Safety Products

MORE INFORMATION

Please visit our website www.cesthailand.com

OUR MISSION

- Supply Quality Products
- Excellent Service from Pre-Sales to After-Sales
- Meet or Exceed
 Customer Expectations













Contents

- **04** PROTECTIVE HEADWEAR
- **08** EYEWEAR PROTECTION
- **12** HEARING PROTECTION
- **16** RESPIRATORY GEAR
- **22** HAND PROTECTION
- **30** PROTECTIVE WORKWEAR
- **36 FOOT PROTECTION** STEEL BLUE BRAND
- 38 FOOT PROTECTION HOWLER BRAND



PROTECTIVE HEADWEAR



PROTECTIVE HEADWEAR

SAFETY PROTECTION STARTS FROM THE TOP. WE'VE GOT YOU COVERED WITH OUR HARD HAT RANGE.

Hard-hat head protection is required on most work sites around the world and Prochoice is proud to offer an unprecedented selection of colours, styles, ventilation and adjustments that will suit every application. Our range is tested and Certified to the highest standards. It isn't just the range of models that make our hard hats range so adaptable, it's the availability of the Prochoice accessories that integrate seamlessly onto all our models. These include attachable face shields, hearing protection and sun shields to name a few.

Increasingly companies are using hard hats to identify their company and positions within the work force. To meet this requirement, ProChoice offer a range of pad printing and vinyl printing services that can be applied to your hat.

STANDARDS

ProChoice hard hats meet Australian Standards and are:

• AS/NZS 1801 : 1977 Occupational protective helmets

In addition to any instructions provided with the hard hat users should refer to :


• AS/NZS 1800 : 1998 Occupational protective helmets: selection, care and use

A hard hat protects the head from injury by falling objects, impact against moving and stationary surfaces, debris, bad weather and electric shock. The internal webbing on ProChoice hard hats, distributes the weight of the helmet evenly (and therefore the shock of impact) over the entire surface area of the helmet and top of the head. The internal harness also provides a 50mm "buffer zone" between the shell and the head to further absorb shock.


FEATURE COMPARISON

FE	ATURE	V9 MODEL	V6 MODEL			
1	Peak	Short peak	Long peak greater eye and face protection from			
		stylish with extra visibility when looking upward	weather elements [sun, rain etc.]			
2	Shape	Low profile modern design	Classic system and pinlock system			
3	Harness	Pinlock system	Prolock system and pinlock system			
4	Vents	9 Air vents on vented version only - model HHV9	6 Air vents on vented version only - model HHV6			
5	Printing Points	14 Custom printing points	24 Custom printing points			
		70mm wide print area on front of hard hat	50mm wide print area on front of hard hat			

V6 RANGE PRINTING AREAS



V9 RANGE PRINTING AREAS



The allocated print areas for both models are indicated above



FEATURES

FEATURES

- Lightweight, colour range of unvented hard hats
- Individually packaged
- Colours can be assigned to location, job or industry

• Lightweight, colour range

• Colours can be assigned to

location, job or industry

of vented hard hats

Individually packaged

- 6 point PinLock harness
- Impact resistant ABS material
- Sold Individually

HHV9







V6 PINLOCK HARNESS

FEATURES

- 6 point PinLock harness
- Webbed cradle for improved shock absorption
- Sold Individually

V6 PROLOCK HARNESS

FEATURES

- 6 point harness to suit ProChoice hard hat models HHV6 and HH6
- Lightweight replacement harness
- Cost effective solution change harness only

DETACHABLE HARD HAT BRIM

FEATURES

- Durable poly-cotton
- Excellent sun protection with neck flap
- Sold Individually

BUMP CAP

FEATURES

- 65% cotton / 35% polyester baseball style cap
- Foam padded insert protects against bumps and scrapes
- Stylish two tone design
- Eyelet holes for ventilation and comfort
- Lightweight
- Full adjustable to allow a perfect fit
- One Size: fits all
- Complies to EN812 Industrial bump cap standards
- Sold Individually

Also available V9 PinLock Harness HHHPI-V9

HHH

- Sold Individually

6 | PROTECTIVE HEADWEAR | CES PRODUCT CATALOGUE

V9 VENTED HARD HATS • 9 air vents • 6 point PinLock harness

- Impact resistant ABS material
- Sold Individually

HHHPI



Sold Individually



HH9

BCBG

HHB



V-GARD® PROTECTIVE CAP by MSA

FEATURES

- Polyethylene shell provides superior impact protection
- Available in a variety of colours and sizes
- Self-adjusting crown straps ensure a comfortable fit

V-GARD® PROTECTIVE HAT by MSA

FEATURES

- Polyethylene shell provides superior impact protection
- Self-adjusting crown straps ensure a comfortable fit
- Available in a variety of colours and sizes
- Custom imprinting and striping options
- Lightweight protection

CHINSTRAPS FOR MSA HELMETS by MSA

FEATURES

- 2, 3 and 4-point chinstraps available
- Non-metal chinstraps keep helmets in place
- Attaches directly to shell or suspension
- Flexible construction and adjustable design for long-wearing comfort

HARD HAT CHIN STRAP

• Keeps hard hat in place in active situations

FEATURES

- Adjustable hard hat chin strap
- Comfy elastic materialSold Individually





MSA



- Available in cotton, polyester,
- nylon or Nomex® webbing
- Sold Individually

HHCS

MSA4753-F

MSA88128

EYEWEAR PROTECTION

EYEWEAR PROTECTION

NO MATTER WHAT YOU DO FOR A LIVING, YOU ARE ALWAYS USING YOUR EYES. PROTECT THEM.

Eye injuries in the workplace are very common, as the National Institute for Occupational Safety and Health (NIOSH) records and reports job related eye injuries that require medical treatment each day. However, safety experts and eye doctors believe the right eye protection could have lessened the severity or ever prevented 90% of these eye injuries.

Simply using the proper eye protection on the job could prevent thousands of eye injuries each year. Two major reasons workers experience eye injuries on the job included not wearing any eye protection and the second reason was because they wearing the wrong kind of eye protection for a particular job.

Over the past 15 year, Pyramex has experienced phenomenal growth through a combination of understanding production and service. Some of the largest companies in the world trust Pyramex products to protect their most important asset, their employees

STANDARDS

PYRAMEX

Pyramex constantly tests its products to meet the following standards or requirement. Please call your representative for detailed test results.



ANSI Z87.1 High Impact



Cert.Mod. CAN/CSA Z94.3-07





AS/NZS 1337 MIL-PRF 32432

FORTRESS

FEATURES

- Vented lens allows air to flow away from the lens to prevent fogging
- Adjustable nose pad provides a comfortable fit for a broad range of bridges sizes
- Lightweight sports styling contours to the face to provide maximum protection
- Straight back rubber coated temple tips
- Anti-scratch lenses offer 99.9%
 protection against harmful UV rays.

APPLICATIONS

- Industrial
- Law Enforcement

Construction

Fire

- WarehouseRecreation
- Landscaping
- Forestry



CLEAR LENS SB3710D



GREY LENS SB3720D



AMBER LENS SB3730D

ACHIEVA

FEATURES

- Lightweight, frameless protection is ideal for all-day wear
- Brow guard deflects airborne particles
- Innovative and sporty safety spectacle
- Unique rubber temple tips twist around the temples for a stylish and secure fit



CLEAR LENS SG6510S

INTRUDER

FEATURES

- Lightweight, frameless protection is ideal for all-day wear
- Superior comfort and fit

- Built-in rubber Nosepiece
 provides all day comfort
- Extended lens provides excellent side protection, provides 99.9% protection against harmful UV rays



GREY LENS SG6520S

APPLICATIONS

Manufacturing

- Industrial
- Construction
- Warehouse
- Assembly

• Lab

- MedicalDental
- Denta
- Refinery
- Agriculture



INDOOR/OUTDOOR MIRROR LENS SG6580S

 Coated lens provides excellent side protection and 99.9% protection against harmful UV rays

APPLICATIONS

- Industrial
- Law Enforcement

• Fire

- Construction
- Warehouse
 Recreation
- Landscaping
- Forestry



CLEAR LENS S4110S



GREY LENS S4120S



AMBER LENS S4130S

ENDEAVOR

FEATURES

- Soft, co-material temple tips prevent eyewear from slipping and provide maximum performance
- Innovative ratchet design generates 3 lens angle adjustments for a personalized fit
- Ergonomic 9.5 base single lens with built-in brow bar for full eye protection



CLEAR LENS STG5910S

LEGACY

FEATURES

- Lenses coated for superior scratch resistance
- Provide 99.9% protection against harmful UV rays

- Extra lightweight, contemporary frame is comfortable for both working environments and recreational activities
- Nosepiece provides universal fit
- Special dielectric hinge design contains no metal parts



- Industrial
- Law EnforcementFire

Construction

Warehouse

- Manufacturing
 - Marine

Recreation

Landscaping

Agriculture

GREY LENS STG5920S

- Soft PVC nose pieceAdjustable temples with 4 settings

APPLICATIONS

- Industrial
- Law Enforcement

• Fire

- Lar
- Construction
- WarehouseRecreation
- Landscaping
- Lanuscapin





CLEAR LENS SB2310S



GREY LENS SB2320S

ZTEK

FEATURES

- General purposes for indoor applications that require impact protection.
- Offers protection from excessive glare.
- Provides 99% protection from harmful UV-A And UV-B rays



CLEAR LENS S2510S

- 100% Polycarbonate lenses.
- Scratch-resistant lenses.
- Economical wrap-around single lens provides full panoramic view.
- Soft non-slip rubber temple tips provide non-binding fit.



GREY LENS S2520S

APPLICATIONS

- Manufacturing
- Industrial
- Construction
- Warehouse
- Landscaping
- Lab
 - Medical
- Dental
- Refinery
- Woodworking

10 | EYEWEAR PROTECTION | CES PRODUCT CATALOGUE













HIGHLANDER

FEATURES

- Clear lens with black frame (Anti-Fog)
- Lightweight sports styling
- Headband provides goggle fit in a stylish glass
- Can be worn with inner foam for additional dust protection

XSG

FEATURES

- Clear lens with black strap/temples
- Design allows air to flow freely reducing heat
- Lenses are treated to prevent fogging scratching and static
- Provide 99.9% protection against harmful UV rays

ONIX PLUS

FEATURES

- Clear lens/ 5.0 IR filter flip lens with black frame
- 3-angle adjustable flip lens allows users to freely adapt to different working procedures

SOLO

FEATURES

- Jumbo Size: clear lens/ Frame combination
- For use over prescription spectacles
- Lightweight and economical

- Scratch resistant lens provides maximum protection
- Protect against 99.9% harmful UV rays
- Inner lens clip provide soft foam for comfort fit and extreme styling

GB4010ST

SBB5010DT

- Flame resistant foam padding forms a seal to keep out dust and airborne particles
- Strap has quick fit retainer for easy on/off
- Interchangeable temples/strap included with each pair

SB4950STP

- Unique outer flip lens system provides users with multiple options. Flip the outer lens down for applications where tinted or IR lenses are needed
- Adjustable Nosepiece provides 3 different angles, allowing the user to find the most comfortable fit

S510SJ

- Lenses provide 99.9% protection against harmful UV rays
- Temples are vented to reduce fogging

SB1010SJ

FEATURES

DEFIANT

- Jumbo Size: clear lens with black temples
- For use over prescription spectacles
- General purposes for indoor applications that require impact protection.
- Offers protection from excessive glare.
- Scratch-resistant lenses

INTEGRA

FEATURES

- Offers protection from excessive glare.
- Provides 99% protection from harmful UV-A And UV-B rays.
- 100% polycarbonate scratchresistant lenses

- Provides 99% protection from harmful UV-A and UV-B rays.
- 100% polycarbonate lenses

Clear Lens: SB410S Grey Lens: SB420S

- Single lens and adjustable temples ensure reliable performance.
- Select frames available with ratchet adjustment temples.

HEARING PROTECTION

HEARING PROTECTION

HEARING DAMAGE IS PERMANENT. PROTECT YOUR EARS WITH OUR. EXTENSIVE RANGE OF PRODUCTS.

Noise-induced hearing loss is permanent. It is also 100% preventable through the successful application of physical changes to the work environment and by wearing of Certified protection devices such as earplugs or earmuffs.

Exposure to hazardous noise levels at work (industrial noise) and play (music ear-phones and traffic) causes permanent hearing impairment.

STANDARDS

The SOUND LEVEL CONVERSION (SLC 80) rating as applied to hearing protection devices (HPD) is a simple number and class rating derived from a test procedure outlined in the Australian/New Zealand Standard, AS/ NZS 1270: 2002.

It provides a simple number guide to the level of noise attenuation (reduction) that can be expected from a particular HPD.

The SLC value includes a correction to ensure that the stated degree of noise reduction is obtained on 80% of occasions. Hence the SLC 80 rating.



AS/NZS 1270:2002 License No. SMHK 25293

PROBULLET™ DISPOSABLE UNCORDED EARPLUGS EPOU

FEATURES

- Class 5, SLC80 27dB
- Disposable, PU foam
- Hearing protection for noise levels to 110 dB(A)
- Pairs packaged in individual poly bags
- Qty/Box: 200 uncorded pairs

PROBULLET™ DISPOSABLE CORDED EARPLUGS

EPOC













FEATURES

- Class 5, SLC80 27dB
- Disposable, PU foam • Hearing protection for noise
- levels to 110dB(A)
- Pairs packaged in individual poly bags
- Qty/Box: 100 corded pairs

PROBULLET™ UNCORDED EARPLUGS

EPOU-10

FEATURES

- Class 5, SLC80 27dB
- Disposable, PU foam
- Hearing protection for noise levels to 110dB(A)
- Pairs packaged in individual poly bags
- Bonus resealable plastic case to store your earplugs
- Qty/Box 10 uncorded pairs

PROBULLET™ REFILL BAG FOR DISPENSER

FEATURES

- Class 5, SLC80 27dB
- Disposable, PU foam
- Hearing protection for noise levels up to 110dB(A)
- Uncorded ProBell earplugs
- Sold Individually
- Qty/Bag 500 uncorded pairs

PROBULLET™ REFILL BAG FOR DISPENSER

FEATURES

- Class 5, SLC80 27dB
- Disposable, PU foam
- Uncorded ProBullet Earplugs
- Hearing protection for noise levels to 110 dB(A)
- Sold Individually
- Qty/Bag 500 uncorded pairs

DISPENSER STATION 500

FEATURES

- Class 5, SLC80 27dB
- Workplace dispenser holds 500 pairs of ProBullet or ProBell Disposable Uncorded Earplugs
- Dispenses one pair at a time
- Sold Individually
- Earplug sold separately

EPYU500R

EPDS500R

EPDS500A

PROBELL™ DISPOSABLE UNCORDED EARPLUGS

FEATURES

- Class 5, SLC80 27dB
- Disposable, PU foam
- Hearing protection for noise levels to 110dB(A)
- ProPlug Bell shape disposable earplug delivers maximum comfort
- Brightly coloured offering high visibility and worker compliance
- Superior design makes it easier to insert and reduces tendency to back out of the ear

visibility and worker compliance • Superior design makes it easier

to insert and reduces tendency

• For general and industrial use

• Qty/Box: 100 corded pairs

to back out of the ear

- Pairs packaged in individual poly bags
- Qty/Box: 200 uncorded pairs

PROBELL™ DISPOSABLE CORDED EARPLUGS

FEATURES

- Class 5, SLC80 27dB
- Disposable, PU foam
- Hearing protection for noise levels to 110dB(A)
- ProBell shape delivers maximum comfort
- Brightly coloured offering high

PROSIL® REUSABLE UNCORDED EARPLUGS

FEATURES

- Class 3, SLC80 18dB
- Reusable silicone earplugs
- Hearing protection for noise levels to 100 dB(A)
- Comes in resealable plastic case
- Sold Individually
- Qty/Box: 50 uncorded pairs

PROSIL® REUSABLE CORDED EARPLUGS

FEATURES

- Class 3, SLC80 18dB
- Reusable silicone earplugs
- Hearing protection for noise levels to 100 dB(A)
- Comes in resealable plastic case
- Sold Individually
- Qty/Box: 50 uncorded pairs

PROBELL™ METAL DETECTABLE EARPLUG

FEATURES


- Class 5, SLC80 27dB
- Disposable, PU foam
- Hearing protection for noise levels to 110dB(A)
- Internal metal ball and blue colour are easily detected by visual and automated inspections
- Blue metalised polycord prevents earplugs from falling into sensitive production
- Qty/Box: 100 corded pairs







EPYU



EPYC



EPSC

EPBMDC











PROBAND® HEADBAND EARPLUGS

FEATURES

FEATURES

Class 2, SLC80 14dB

- Class 2, SLC80 14dB
- Comfortable, convenient and lightweight headband
- Hearing protection for noise levels to 95dB(A)
- Foam ear pads are disposable and not designed for re-use
- Sold Individually
- Qty/Pack: 1 complete set with bonus replacement earplug pads
- Qty/Box: 50 pairs

PROBAND® REPLACEMENT EARPLUGS PADS

HBEPR

HBEPA



- Replacement earplug pads to suit ProBand Headband Earplugs (HBEP)
- Hearing protection for noise levels to 95 dB(A) when fitted as directed
- Foam ear pads are disposable and not designed for re-use
- Sold Individually Pairs individually packaged
- Qty/Box: 50 pairs

PROBAND® FIXED HEADBAND EARPLUGS

FEATURES

- Class 4, SLC80 24dB
- Disposable, PU foam pads
- Hearing protection for noise levels up to 109dB
- Provides wearer the highest level of protection for a headband earplug
- Disposable PU foam pads are ergonomically designed to fit the ear for maximum proteciton
- Pairs individually packaged
- Sold Individually
- Qty/Pack: 1 complete set with bonus replacement earplug pads
- Qty/Box: 10 packs

PROBAND® FIXED REPLACEMENT EARPLUGS PADS HBFPAR

FEATURES

- Class 4, SLC80 24dB
- Disposable, PU foam pads
- Hearing protection for noise levels up to 109dB
- Replacement pads to suit the ProBand Fixed Headband earplugs (HBEPA)

PYTHON SLIMLINE EARMUFFS

FEATURES

- Class 5, SLC80 31dB
- Hi-Vis for visual identification
- High performance and strong durability through steel wire construction for maximum

PYTHON EARMUFFS

FEATURES

- Class 5, SLC80 31dB
- High performance and strong durability for maximum protection
- Hearing protection for noise levels to 116 dB(A)
- Contemporary design withstands abuse without compromising comfort

- Protection with easy adjustment system for individual fit
- Hearing protection for noise levels to 116dB(A)
- Contemporary low profile design that withstands abuse without compromising comfort

EMPYT

- Solid, lightweight ear cup construction
- pressure on the head
- Steel wire providers a robust construction to withstand demanding use

• Provides wearer the highest level of protection for a headband earplug

- Disposable PU foam pads are ergonomically designed to fit the
- ear for maximum proteciton Pairs individually packaged
- Sold Individually
- Qty/Box: 50 pairs

EMPYTS

- - High quality ear cushions
 - Padded foam headband minimises
- Increased wearer comfort due to low clamping force







RESPIRATORY GEAR

RESPIRATORY GEAR

BREATHE EASY WITH OUR EXCLUSIVE RANGE OF RESPIRATORY GEAR FOR ANY WORKPLACE SITUATION.

Breath easier in whatever hazard your work environment presents, by choosing an approved respirators or mask from the ProChoice range. There is a Certified ProChoice model for protection against the majority of airborne workplace hazards.

Our masks are designed for comfort and workplace convenience.

Airborne hazards include dusts, fogs, fumes, mists, gases, smokes, sprays or common vapours. The best form of protection is to eliminate or prevent the hazard by altering workplace practices or accepted engineering control measures.

When controls are not feasible, appropriate respirators must be used.

ProChoice has a full range of tested and Certified products – from disposable masks with a variety of filters to half mask respirators. Flexible ProMesh ensures optimum shape retention for a perfect airtight fit during extended periods of wear

STANDARDS

For your safety and Confidence all prochoice dust masks are Certified to AS/NZS 1716 requirements.



AS/NZS 1716 License No. 1508



MASK SELECTION TABLE

What type of mask best suits the job at hand?

TYPE OF ACTIVITY	TYPE OF FILTRATION											
		PC301	PC315	PC9111	PC305	PC321	PC513	PC2122	PC821	PC822	PC823	НМТРМ
		P1	P1 with valve	P1	P2 no valve	P2 with valve	P2 valve carbon filter	P2 with valve	P2 no valve	P2 with valve	P2 valve carbon filter	maximask 2000 with PCA1P2
WOODWORKING												
Sanding- hardwood,softwood	Fine particles, wood dust, chipboard, MDF dust			•	•	•	•	•	•	•	•	
Woodcutting- hardwood, softwood	Fine particles, wood dust, chipboard, MDF dust			•	•	•	•	•	•	•	•	
Paint removal	Fine paint mists				•	•	•	•	•	•	•	•
Rust/ corrosion removal	Rust/corrosion & metal dust				•	•	•	•	•	•	•	•
lron/steel	Metallic dusts				•	•	•	•	•	•	•	•
Foundries	Metallic dusts				•	•	•	•	•	•	•	•
METAL PROCESSING												
Hard soldering	Fumes						•	•	•	•	•	•
Drilling	Metallic dusts	•	•	•	•	•	•	•	•	•	•	•
Sawing	Metallic dusts	•	•	•	•	•	•	•	•	•	•	•
MINING												
General mining including coal,copper, lead & zinc GRINDING	Find dust	•	•	•	•	•	•	•	•	•	•	•
Brickworks	Brick dust	•	•	•	•	•	•	•	•	•	•	•
Masonry / concrete	Stone dust	•	•	•	•	•	•	•	•	•	•	•
Masonry / concrete with high quartz	Stone dust				•	•	•	•	•	•	•	•
SANDING												
Hard & soft wood	Wood dust				•	•	•	•	•	•	•	•
Synthetics and plastics	Synthetic dust				•	•	•	•	•	•	•	•
Adhesive removal	Fine dust					•		•	•	•		
CONSTRUCTION	The dust				-			-				
Sand blasting, sanding, restoration or demolition	Dust and water based mists	•	•	•	•	•	•	•	•	•	•	•
Foundation setting	Concrete dust	•	•	•	•	•	•	•	•	•	•	•
Concrete mixing	Concrete dust	•	•	•	•	•	•	•	•	•	•	•
Concrete pouring	Fine plaster dust				•	•	•	•	•	•	•	•
Insulation installation	Dust & glass fibres, rock wool& mineral wool fibres	•	•	•	•	•	•	•	•	•	•	•
Roofing and tiling	Roof and tile dust	•	•	•	•	•	•	•	•	•	•	•
PAINTING / DECORATING												
Painting with water soluble paints	Large paint particles				•	•	•	•	•	•	•	•
Sprayable vanish	Paint mists				•	•	•	•	•	•	•	•
Pasting, adhesives	Fumes				•	•	•	•	•	•	•	•
No prochoice respirators are suitable f	or use with isocyanates or 2 pack epoxy s	pray										
AGRICULTURE												
Spraying	Water based mists				•	•	•	•	•	•	•	•
Grain harvesting, silos	Dust and spores	•	•	•	•	•	•	•	•	•	•	•
General	Pollen, hay, feathers, animal feed dust	•	•	•	•	•	•	•	•	•	•	•
Horticulture	Spraying - water based				•	•	•	•	•	•	•	•
FOOD PROCESSING Factory processing and packaging & water based mist	Ingredient dust, packaging fibres	•	•	•	•	•	•	•	•	•	•	•
CHEMICAL / LAB WORK												
Chemical processing		•	•	•	•	•	•	•	•	•	•	•
Chemical powders	Toxic dusts	•	•	•	•	•	•	•	•	•	•	•
Plating, spraying, gluing,	Toxic dusts and mists	•	•	•	•	•	•	•	•	•	•	•
Pharmaceuticals	Chemical dusts and mists	•	•	•	•	•	•	•	•	•	•	•
PACKING / WAREHOUSING												
Production line and handling	Cardboard dust	•	•	•	•	•	•	•	•	•	•	•
VEHICLE REPAIR												
Servicing	Oil, fumes	•	•	•	•	•	•	•	•	•	•	•
Panel work	Metal dusts	•	•	•	•	•	•	•	•	•	•	•
Buffing	Metallic dusts and mists	•	•	•	•	•	•	•	•	•	•	•
WELDING Welding, metal cutting, metal	Metal fumes				•	•	•	•	•	•	•	•
pouring, soldering	r advice on protection against galvanised	welding fum										













PROMESH RESPIRATOR P2

FEATURES

- Flexible mesh which ensures optimum shape retention for a perfect, airtight fit during long periods of wear
- P2 rating protects against mechanically and thermally generated particles
- Moulded nose-piece for close fit
- QuickLock straps for easy fit and release
- Resealable Polybag ensuring masks remain hygienically stored
- Qty/Box: 12

PROMESH RESPIRATOR P2 WITH VALVE

FEATURES

- Flexible mesh which ensures optimum shape retention for a perfect, airtight fit during -long periods of wear
- P2 rating protects against mechanically and thermally generated particles
- Moulded nosepiece for close fit
- QuickLock straps for easy fit and release

PROMESH RESPIRATOR P2 WITH VALVE AND ACTIVE CARBON FILTER

FEATURES

- Flexible mesh which ensures optimum shape retention for a perfect, airtight fit
- Protects against nuisance-level organic vapours in addition to P2 rating
- Moulded nosepiece for close fit

RESPIRATOR P2

FEATURES

- P2 rating for protection against mechanically and thermally generated particles
- Coloured coded nose-piece and packaging for ease of identification
- Latex free dual straps give firm and comfortable fit

RESPIRATOR P2 WITH VALVE

FEATURES

- P2 rating for protection against mechanically and thermally generated particles
- ProValve for increased exhalation efficiency and comfort - reduces heat build under mask
- Colour-coded nose-piece and packaging

RESPIRATOR P2 WITH VALVE AND ACTIVE CARBON FILTER

FEATURES

- Protects against nuisance-level organic vapours in addition to P2 rating
- ProValve for increased exhalation efficiency and comfort - reduces heat build under mask
- Colour-coded nose-piece and packaging

- ProValve for increased exhalation
- efficiency and comfort reduces heat build up under mask
- Resealable Polybag ensuring masks remain hygienically stored
- Qty/Box: 12

PC823

- QuickLock straps for easy fit and release
- ProValve for increased exhalation efficiency and comfort - reduces heat build up under mask
- Resealable Polybag ensuring masks remain hygienically stored
- Qty/Box: 12

PC305

- Resealable polybag ensuring masks remain hygienically stored
- Aluminium free nose clip to reduce the risk of igniting a spark
- Qty/Box: 20

PC321

- Latex free dual straps give firm and comfortable fit
- Resealable polybag ensuring masks remain hygienically stored
- Aluminium free nose clip to reduce the risk of igniting a spark
- Qty/Box: 12

PC531

- Latex free dual straps give firm and comfortable fit
- Resealable Polybag ensuring masks remain hygienically stored
- Aluminium free nose clip to reduce the risk of igniting a spark
- Qty/Box: 12

PC822



RESPIRATOR P1

FEATURES

- P1 rating indicates suitability for protection against mechanically generated particles
- Colour-coded nose-piece and packaging for ease of identification
- Latex free dual straps give firm and comfortable fit

RESPIRATOR P1 WITH VALVE

FEATURES

- P1 rating indicates suitability for protection against mechanically generated particles
- ProValve for increased exhalation efficiency and comfort - reduces heat build under mask
- Colour-coded nose-piece and packaging for easy identification
- Latex free dual straps give firm and comfortable fit
- Resealable Polybag ensuring masks remain hygienically stored

• Resealable Polybag ensuring masks

• Aluminium free nose clip to reduce

remain hygienically stored

the risk of igniting a spark

Qty/Box: 20

- Aluminium free nose clip to reduce the risk of igniting a spark
- Qty/Box: 12

RESPIRATOR P1 VERTICAL FLAT FOLD

FEATURES

- P1 rating for protection against mechanically generated particles
- Designed for easy storage before use
- Individually packed to avoid contamination Qty/Box: 20
- Dual straps give firm and comfortable fit
- Aluminium free nose clip to reduce the risk of igniting a spark



PRO

NON TOXIC DUST MASK

FEATURES

- A lightweight mask for comfortable, extended wear
- Aluminium nose-piece can be moulded to individual comfort and seal
- Qty/Box: 10 masks

PC301-5

PC321-3

PC101-10





RESPIRATOR P1 - 5PK

FEATURES

- P1 rating indicates suitability for protection against mechanically generated particles
- Colour-coded nose-piece and packaging for ease of identification
- Dual straps give firm and comfortable fit
- Aluminium free nose clip to reduce the risk of igniting a spark
- Qty/Pack: 5

RESPIRATOR P2 WITH VALVE - 3PK

FEATURES

- P2 rating for protection against mechanically and thermally generated particles
- ProValve for increased exhalation efficiency and comfort - reduces heat build-up under mask
- Colour-coded nose-piece and packaging
- Dual straps give firm and comfortable fit
- Aluminium free nose clip to reduce the risk of igniting a spark
- Qty/Pack: 3 masks

PC315

PC9111



ABEK1 CARTRIDGES

FEATURES

FEATURES

1x pair PCABEK1Sold Individually

• Kit Contains : 1 x HMTPM,

- For use on the Maxi mask 2000[™]
- Low profile design for complete vision
- Protects against a wide range of chemicals including Organic Vapour, Acid Gas, Sulphur and Ammonia
- Can be fitted with the P2 ProChoice Filter Pads to provide extra protection against dust/mist particles
- Easy 'Lock-on system' to ProChoice Maxi Mask 2000
- Qty/Box: 1 Pair

CHEMICAL KIT - BLISTER PACK

HMABEK1

PCABEK1





PREFILTER RETAINER CAPS

PCRC

FEATURES

- For use with ProFilter and ProCartridges
- Qty/Box: 1 Pair

FITTING INSTRUCTIONS



Ensure the elastic is not twisted and that it is secured to all mounting positions, on the valve-cage, rear clips and head cradle. Adjust rear clips to fit approximately. Adjust head cradle to fit top of head.



Place head cradle onto top of head, over crown area.



Position mask onto face and clip rear clips together behind neck. Ensure mask sits securely on face.



Adjust head cradle clip elastic lengths until fit is comfortable and secure. Chin should fit comfortably into bottom of the respirator. To check efficiency place a piece of card in front of the filters, inhale and respirator should contract sharply.


DUST & GAS FILTER CLASS

TYPE	COLOUR	DESCRIPTION	
A		Organic vapours and gases with boiling point 65°C and above	
В		Inorganic vapours and gases (excluding carbon dioxide/monoxide)	
E		Sulphur dioxide and other acidic vapours and gases	
К		Ammonia and ammonia derivatives vapours and gases	
ABEK		Combination filters, all of the above	
Р		Dust filters	

FILTER ASSEMBLY INSTRUCTIONS



Star assembling the filter.



Attach the cover and shell base with filter contained within.

20 | RESPIRATORY GEAR | CES PRODUCT CATALOGUE



Attach the assembled filters to half mask body by lining up the arrow on the cartridges to the arrows on the body and twisting until it locks into position.



Put on the harness instructed above.

CLASSIFICATIONS

	DUST	GAS
1	Low efficiency	Low capacity
2	Medium efficiency	Medium capacity
3	High efficiency	High capacity







FEATURES

- Protects against nuisance-level organic vapours in addition to P2 rating
- Moulded Nosepiece for close fit
- QuickLock straps for easy fit and release
- ProValve for increased exhalation efficiency and comfort- reduces heat build up under mask
- Qty/Box: 10

HMTPM

HMA1P2

FEATURES

- Fully adjustable four point cradle suspension ensuring an effective facial fit
- Low profile angle filter design for minimum visual impairment
- Durable thermoplastic rubber mask for superior fit
- Contour moulded nose for fit with glasses and goggles
- Low resistance exhalation valve to reduce heat and moisture build up
- Cab be worn under most welding helmets
- Quick and easy filter cartridge connection
- Sold Individually

TRADIE'S AND PAINTER'S KIT - BLISTER PACK

MAXI MASK 2000[™] HALF MASK RESPIRATOR

FEATURES

- Kit Contains: 1x HMTPM and 1x pair of PCA1P2
- Sold Individually
- P2 CARTRIDGE

FEATURES

- For use on the Maxi Mask 2000[™]
- P2 cartridges protects against mechanical and thermally generated particles
- Easy' Lock- on system' to ProChoice Maxi Mask 2000
- Comes Complete with a P2 ProChoice Filter and retainer caps
- Qty/Box: 1 Pair

PROFILTER P2 PREFILTER TO SUIT PROCARTRIDGES PCPFP2

FEATURES

- For use with ProCartridge
- P2 cartridges protects against mechanical and thermally generated particles
- Lightweight pads fit inside ProCartridge
 gas cartridge easy replacement system
- Qty/Box: 20

A1P2 CARTRIDGES TO SUIT HMTPM

FEATURES

- For use on the Maxi Mask 2000™
- A1P2 cartridges for gas/vapour and combination particulate/ gas/vapour cartridge
- Easy' lock-on' system to
 Prochoice Maxi Mask 2000
- Comes complete with a P2 ProChoice Filter and retainer caps
- Qty/Box: 1 Pair









FSPG531

- PCP2

PCA1P2

HAND PROTECTION

HAND PROTECTION

SURVEY RESULTS INDICATE THAT GLOVE USE REDUCES HAND INJURY RISK BY 60 PERCENT.

Choosing the correct glove for work can be a very important safety decision. Gloves must be comfortable, fit well, protect against the hazards of a particular task, and provide good grip under working conditions.

ProChoice has the world's most diversified protective glove range for use in manufacturing, building, mining, laboratory, horticulture, food handling, medical and forestry applications.

The most common activities associated with injuries to the hand and wrist are:

- Using a sharp edged tool
- Operating unguarded powered plant or machinery
- Using an unguarded powered hand tool or appliance
- Preparing food with an appliance of knife

STANDARDS

EN420 General Requirements

EN12477 Gloves for Welders

EN511 Protection from Cold

EN388 Mechanical Risks

- Resistance to abrasion
- Blade cut resistance
- Tear resistance
- Puncture resistance

EN374 Chemical Risks

- Resistance to chemical hazards; the measurement of time for a chemical to permeate through the glove material
- EN407 Thermal Risks Heat and Fire
- Resistance to flammability
- Resistance to contact heat
- Resistance to convective heat
- Resistance to radiant heat
- Resistance to small/large splashes of molten metal

PROSENSE[™] DEXIPRO[™]

FEATURES

- Lightweight lint free nylon machine knit with LYCRATM
- LYCRA[™] infusion for improved dexterity and contour to hand shape with ultra thin nitrile palm
- Anti-static liner

PROSENSE[™] STINGA[®] GLOVE

FEATURES

- (BHT) Bare Hand Technology
- Seamless 15 gauge, 100% Apparel Grade Nylon shell
- PVC foam coating provides water repellency, comfort and enhanced gripping power in wet and dry conditions
- **PROSENSE™ KNITTED POLY / COTTON GLOVE**

FEATURES

- Latex dipped palm and fingers for extra grip
- Elasticised, comfortable fit
- Open knit back for ventilation
- **PROSENSE[™] PROLITE[®]**

FEATURES

- Polyurethane (PU) coated palm and anti-static liner
- Lightweight and breathable with nylon liner
- Ideal for production line and small parts handling
- Sizes: 7, 8, 9, 10, 11
- Qty/Pack: 12 pairs

PROSENSE[™] ONE - MULTI-PURPOSE

FEATURES

- Strategically placed TPR padding for knuckle and finger protection
- Hi-Vis Glove liner for increased visibility
- Seamless liner for comfort and durability

PROSENSE[™] LITEGRIP

FEATURES

- Nitrile foam coated on nylon gives excellent dexterity
- Nylon liner makes this glove lightweight and breathable
- Ideal for production line and small parts handling

- Adjustable velcro strap for a secure fit
- Sizes: 7, 8, 9, 10, 11
- Qty/Pack: 12 pairs

NNF

SYNTHETIC GLOVES

ONNFRB

 Foam nitrile palm for superior grip Reinforced thumb for added protection

- Anti-static liner
- Sizes: 7, 8, 9, 10, 11
- Qty/Pack: 12 pairs





Individually, hygienically packed

Nitrile Coating provides superior

gripping power in wet, and dry conditions yet -retains superior feel

• Extra long 20mm cuff

• Sizes: 7, 8, 9, 10, 11

Qty/Pack: 12 pairs

• Sizes: 7, 8, 9, 10, 11

• Qty/Pack: 12 pairs

- Sizes: 8, 9, 10, 11
- Qty/Pack: 12 pairs

PUN

PROSENSETM 342DG



NPF

BNNL



(E

Œ











CE $\underbrace{\vdash}_{_{4232}}$

SYNTHETIC LEATHER GLOVES

PROSENSE™ MAXIPRO™ GLOVE

FEATURES

- Bare Hand Technology (BHT)
- Seamless 15 gauge, nylon fused Lycra shell
- Nitrile water-based PU foam coating for enhanced gripping power and maximum dexterity in wet and dry conditions
- Also available with 270° and 360° Nitrile Dips
- Sizes: 6, 7, 8, 9, 10, 11
- Qty/Pack: 12 pairs

PROSENSE™ MAXIPRO 360° GLOVE

FEATURES

- E12Bare Hand Technology (BHT)
- 360° Nitrile water-based and PU foam coating for enhanced gripping power and maximum dexterity in -wet and dry conditions
- Seamless 15 gauge, 100% apparel grade nylon fused lycra shell
- Also available with both standard and 270° Nitrile dips.
- Sizes: 6, 7, 8, 9, 10, 11
- Qty/Pack: 12 pairs



PROFIT® FINGERLESS GLOVE

FEATURES

- One piece synthetic leather Gecko grip palm
- Intergrated terry cloth sweat wipe
- Cut-off fingers ideal for handling small parts
- Rubberised reinforced canvas on thumb
- and forefinger for more gripping power
- Pull-tab finger for easy removal

PROFIT® RAZORBACK® GLOVE

FEATURES

- Oil and water repellent
- Hand impact protection system; thermoplastic rubber on back of fingers, knuckle and hand
- Double layer water/oil resistant palm

- Easy-on finger loop
- Neoprene knuckle panel for increased flexibility
- Non- slip grip is ideal for use for hand and power tools in dry, wet or oily conditions
- Sizes S, M, L, XL
- Qty/Pack: 12 pairs

PFRB

PF

- Pre-curved for added flexibility
- Bright yellow in colour
- Sizes: S, M, L, XL, 2XL, 3XL
- Qty/Pack: 12 pairs

Silicone grip

PROFIT® FULL FINGER GLOVE HI-VIS YELLOW

FEATURES

- Hi-Vis Yellow with reflective piping
- One piece synthetic leather palm
- Reinforced foam padded inner palm
- Neoprene knuckle panel provides increased flexibility
- Integrated terry cloth sweat wipe
- Velcro strap for snug fit
- Non-slip grip is ideal for use with hand and power tools in dry, wet or oily conditions
- Sizes: M, L, XL, 2XL
- Qty/Pack: 12 pairs

NPNFB



ARAX® LINER

FEATURES

- Arax Knit Technology with EN 388 Cut 5 Protection
- Contact heat resistant to 100°C
- Quick and easy donning and doffing
- Sizes: 7, 8, 9, 10, 11
- Qty/Pack: 12 pairs

• Quick and easy donning and doffing

• Workforce tasted and approved

Contact heat resistant to 100°C

Quick and easy donning and doffing

• Sizes 7, 8, 9, 10, 11

• Qty/Pack: 12 pairs

• Sizes 7, 8, 9, 10, 11

• Qty/Pack: 12 pairs

ARAX® WET GRIP

FEATURES

- Arax[®] Knit Technology with EN 388 Cut 5 Protection
- Black Nitrile Sand Dip for superior grip in wet, greasy conditions
- Contact heat resistant to 100°C
- **ARAX® TOUCH**

FEATURES

- Arax[®] Knit Technology with EN 388 Cut 5 Protection
- Black polyurethane dip for superior sensitivity, dexterity and comfort
- Form fitting design that emulate individual hand contour for the most comfortable fit

ARAX®DRY GRIP

FEATURES

- Arax[®] Knit Technology with EN 388 Cut 5 Protection
- Black Latex Crinkle dip for superior grip on smooth, dry surfaces
- Contact heat resistant to 100°C

ARAX®HEAVY DUTY

FEATURES

- Arax[®] Knit Technology with EN 388 Cut 5 Protection
- Reinforced synthetic leather palm
- Black nitrile foam dip
- Form fitting design that emulate individual hand contour for the most comfortable fit

ARAX®ONE®ANTI VIBE

FEATURES

- Arax[®]Gold Liner up to 4 times more cut resistance than the Cut 5 Standard
- TPR padding protects fingers and knuckles from knocks and scrapes
- · Anti -Vibration foam padded palm ideal for working with power tools

- Contact heat resistant to 100°C
- Quick and easy donning and doffing
- Sizes 7, 8, 9, 10, 11
- Qty/Pack: 12 pairs

ONECR

- Contact heat resistant to 100°C
- Sizes 7, 8, 9, 10, 11
- Qty/Pack: 12 pairs

- **CUT RESISTANT GLOVES**
- Quick and easy donning and doffing
- Sizes 7, 8, 9, 10, 11
- Qty/Pack: 12 pairs

AFND

CES PRODUCT CATALOGUE | HAND PROTECTION | 25







Œ







ALD

AND

APUD

AL





ARAX®GOLD CUT

FEATURES

- Arax[®]Gold Liner up to 4 times more cut resistance than the Cut 5 Standard
- Black nitrile foam dip
- Form fitting design that emulate individual hand contour for the most comfortable fit
- Contact heat resistant to 100°C

• Quick and easy donning and doffing

- Sizes 7, 8, 9, 10, 11
- Qty/Pack: 12 pairs

• Size: 35 cm length

• Qty/Pack: 12 pairs

• Sizes: 7, 8, 9, 10, 11

• Qty/Pack: 12 pairs

A5SLE35

AFYN

ARAX®SLEEVE

FEATURES

- Arax[®] Knit Technology with EN 388 Cut 5 Protection
- Contact heat resistant to 100°C
- Protects forearms from cuts and abrasions

TAEKI 5[™] PU COATED PALM

FEATURES

- Polyurethane (PU) coated palm
- Provides outstanding abrasion, cut and tear capabilities in handling dry, wet or greasy parts
- Can be washed and reused increasing the lifetime and value of the glove

TAEKI 5™ NITRILE DIPPED

- **FEATURES**
- Nitrile coated palm
- Provides outstanding abrasion, cut and tear capabilities in handling dry, wet or greasy parts
- Lint free

• Silicone and lint free, stretchable and breathable material to allow perfect

fit, dexterity and wearing comfort

T5ND

KKN

T5PUD

- Stretchable and breathable material to allow perfect fit,
- dexterity and wearing comfort
- Can be washed and reused
- Sizes: 7, 8, 9, 10, 11
- Qty/Pack: 12 pairs

KNITTED KEVLAR® BLACK NITRILE GLOVE

FEATURES

- 100% Kevlar knitted (13 gauge) gloves with black dipped nitrile palm to enhance grip
- Designed to increase cut and abrasion resistance
- Gives moderate heat protection
- Sizes 8,9,10
- Qty/Pack: 12 pairs

26 | HAND PROTECTION | CES PRODUCT CATALOGUE

CUT RESISTANT GLOVES

Œ







RIGGAMATE® COW GRAIN PREMIUM GLOVE

FEATURES

- Premium cow grain rigger glove
- Wing thumb, stitch-free palm for increased durability
- Colour-coded cuff for Size: identification
- Sizes: S, M, L, XL, 2XL
- Qty/Pack: 12 pairs

RIGGAMATE - COWSPLIT LEATHER

FEATURES

• Tough and durable

Grey 'suede look' cow split rigger glove

Colour-coded cuff for Size: identification

RIGGAMATE® REFLECTOR LINED

- Sizes: L, XL, 2XL • Qty/Pack: 12 pairs

803C

RIGGA MATE GLOVES



PRO



Œ





PYROMATE® BLUE HEELER®

• Orange reflective back with 25mm yellow reflective tape for day and night use

FEATURES

FEATURES

• Blue & Gold Kevlar Design

• 100gm 3M[™] Thinsulate lining

• "A" Grade cow grain palm

- High quality blue cow split leather
- Kevlar stitched to withstand high temperatures for longer periods
- Lined and welted

PYROMATE®BLACK JACK®

FEATURES

- Black & Gold Design
- High quality cow split leather for comfort and economy
- Lined and welted

FEATURES

• Supple Goatskin Leather;

Lined with fine - gauge Kevler[®]

interlock knit for precise fit

durable and tough

- Reinforced palm and thumb for durability
- 406mm (16 inches) long for
- forearm protection

• One Size: fits all

• Qty/Pack: 12 pairs

- One Size: fits all
- Qty/Pack: 12 pairs

BGW16

TIGWKEV

WELDING GLOVES

- 406mm (16 inches) long for forearm protection
- One Size: fits all
- Qty/Pack: 12 pairs

PYROMATE® BIG KEV WELDING GLOVE

- Excellent touch sensitivity and dexterity
- Sizes M, L, XL
- Qty/Pack: 12 pairs

CGL41B

CGRTL

KBW16E/KBW16Q



DISPOSABLE VINYL, LATEX & NITRILE GLOVES

CHEMICAL HANDLING

PVC GLOVES

EXTRA HEAVY DUTY NITRILE GLOVE

FEATURES

- Made from 100% Extra Heavy Duty Nitrile
- Industrial use, automotive repair and paint trade
- Stronger, thicker, and more resistant to chemicals
- Enhanced grip in wet and dry conditions
- Improved protection from oils, grease, fuels, cleaners, solvents, chemicals, & transmission fluid
- Latex free and Vinyl free glove material delivers superior comfort for extended wear
- Sizes S, M, L, XL, XXL
- Qty/Box: 100 pieces

NATURAL LATEX EXAMINATION / POWDER FREE

FEATURES

- Powder-free for use where powder contamination may be an issue
- High-quality latex rubber, fully textured, enhanced grip
- Sensitive touch' for enhanced dexterity
- Size: S, M, L, XL
- Qty/Box: 100 pieces

NBRB

ΒK

MDLPF

SUPERLITE BLUE

FEATURES

- Light weight 3/4 dipped blue nitrile glove
- Abrasion resistant
- Knitted wrist to exclude debris
- Open back improves ventilation
- Sizes: 7, 8, 9, 10

• Size: 8, 9, 10, 11

• Qty/Pack: 12 pairs

Qty/Pack: 12 pairs

BLACK KNIGHT LATEX GLOVE

FEATURES

- Natural rubber latex offering better chemical and mechanical resistance
- Sanitised for guarantee of cleanliness and to inhibit bacterial growth
- Satin, unflocked lining for improved feel and dexterity
- **NITRILE CHEMICAL GLOVE 45CM**

FEATURES

- Premium grade nitrile for maximum abrasion and chemical resistance
- Electrostatic lining technology prevents lining being shed and improves comfort
- Textured palm for enhanced grip
- 45cm length for forearm protection

• 45 cm length for forearm protection

Size: M, L, XL

GREEN PVC GLOVE - LONG DOUBLE DIPPED

PVC45DD

RNU22

FEATURES

- Double dipped with sand finish for improved grip and increased resistance to oil, grease and chemicals
- 45 cm length for hand and forearm protection
- Jersey lined for comfort and sweat absorption
- Size: One Size: fits all
- Qty/Pack: 12 pairs

MDNPFHD



KNITTED POLY/COTTON MENS

FEATURES

- Bleached with black PVC dot grip on one side for extra grip
- 7 gauge knit for strength and ventilation
- Bleached for clean appearance
- Qty/Pack: 12 pairs

INTERLOCK POLY/COTTON LINER GLOVE MENS

FEATURES

- Lightweight and hemmed cuff
- Bleached for clean appearance
- Maybe used as a glove liner
- Glove can be reversed and used on both sides
- Qty/Pack: 12 pairs

INTERLOCK POLY/COTTON LINER MENS

FEATURES

- 7 gauge knit for strength and ventilation
- Bleached for clean appearance
- Can be reversed and used on both sides
- Qty/Pack: 12 pairs

CANDY STRIPE GLOVE

FEATURES

- Cow split leather palm, cotton backed
- Lightweight and economical
- Safety cuff and knuckle bar for added protection
- One Size: fits all
- Qty/Pack: 12 pairs

GREEN & GREY STRIPE GLOVE

FEATURES

FEATURES

Sold Individually

- Heavy duty cow split leather reinforced palm, thumb and forefinger for extended toughness and durability
- Safety cuff and knuckle bar for added protection

GLOVE CLIP KEEPER

• Never misplace your gloves again

with this convenient glove clip

One Size: fits all

• Qty/Bag - 25

- Qty/Pack: 12 pairs
- GCK/P/O/B
- ACCESSORIES



ŒĿ

CES PRODUCT CATALOGUE | HAND PROTECTION | 29

• Available in Yellow, Pink, Orange, Black





417PB

342KPDB

342CL

342K

COTTON GLOVES

GENERAL PURPOSE GLOVES



PROTECTIVE WORKWEAR

180 **AT**

ACCESS

PROTECTIVE WORKWEAR

SPECIALISED WORKWEAR TO PROTECT CLOTHING, SKIN AND JOINTS AGAINST WORKPLACE HAZARDS.

There are many classifications and guidelines to consider when choosing your high visibility work wear. You need to consider where and when your high visibility work wear is required. WORKIT Work Wear's ranges of high visibility garments are manufactured to meet the requirements of International Standards.

We understand that in today's workplace you need to confident that you are meeting your OH&S obligations.

STANDARDS

4



CLASS D/N (AS/NZS 4602.1: 2011)



CLASS D (AS/NZS 4602.1: 2011)













HI-VIS SHIRT WITH 3M[™] REFLECTIVE TAPE

FEATURES

- 2 piece contrast collar
- Twin button flap pockets
- Left pocket with pen division
- 2 ventilated mesh back pleats
- Under arm mesh ventilation Preshrunk for extra comfort
- Full gusset cuff

FABRIC

- 100% Cotton drill 155gsm • 100% Cotton Mesh ventilation
- Yellow / Navy

HI-VIS SHIRT WITH 3M[™] REFLECTIVE TAPE

FEATURES

- 2 piece contrast collar
- Twin button flap pockets
- Left pocket with pen division
- 2 ventilated mesh back pleats
- for extra comfort • Full gusset cuff

Under arm mesh ventilation
 Preshrunk

FABRIC

ventilation

FABRIC

- 100% Cotton drill 155gsm
- 100% Cotton Mesh
- Orange / Navy

COLOUR

1002

COTTON DRILL PANTS WITH 3M[™] REFLECTIVE TAPE

• 100% Cotton Drill

310gsm, Preshrunk

• 3M[™] (8910) Reflective Tape

FEATURES

- Coin pocket in Waistband
- Single front pleats
- 2 angle side pocket
- Back patch pockets
- Mobile phone pocket on right side

HI-VIS 2-TONE LONG SLEEVE POLO

FEATURES

- Hi-Vis 2-tone front and back
- Left pocket with pen division
- 2 Vented panels

SIZES

• XS - 6XL

HI-VIS 2-TONE SHORT SLEEVE POLO

FEATURES

- Hi-Vis 2-tone front and back
- Left pocket with pen division
- 2 Vented panels

SIZES

• XS - 6XL

FABRIC

- 80% Polyester / 20% Cotton
- 185gsm Polyester outer / Cotton back

COLOURS

- Orange / Navy
- Yellow / Navy



FABRIC

- 80% Polyester / 20% Cotton
- 185gsm polyester outer / Cotton back

COLOURS

- Orange / Navy
- Yellow / Navy



- 5004
- Navy

SIZE: & COLOURS

• 77, 82, 87, 92, 97,

102, 107, 112

• 3M[™] (8910) Reflective tape – hoop pattern

Sizes: XXS-6XL COLOUR

• 3M[™] (8910) Reflective

tape - hoop pattern

Sizes: XXS-6XL

2001YN

2001ON

HI-VIS 2-TONE LIGHTWEIGHT COVERALL WITH 3M[™] REFLECTIVE TAPE



FEATURES

- Front nylon press stud fastening
- Press stud cuff fastening
- Right front security pockets
- Left front pen and tool patch pockets
- 2 angled side pockets
- Back right patch pockets
- Rear mobile phone pocket
- Double layer of fabric on knees
- Reflective tape on legs

FABRIC

- 100% Cotton Drill 190 GSM
- Preshrunk
- 3M[™] (8910) Reflective Tape; Hoop pattern

SIZES

• 77, 82, 87, 92, 97, 102, 107, 112,117

COLOURS

- Yellow / Navy
- Orange / Navy





FLAREX (FR) CAT 1 INHERENT COVERALLS

FEATURES

- ATPV rating between 6-7 (CAT 1)
- Meets AS/NZ 4602.2011 standards
- Inherently (FR) providing protection for the life of the garment
- Contrast stitching with Nomex[®] inherent thread
- (FR) mesh venting
- Tabs for 2 way radio

FABRIC & COLOURS

- 190gsm Inherent Flame Resistant fabric
- 60% Modacrylic, 34% cotton, 5% aramid, 1% antistatic
- FR 3M[™] (8935) Reflective Tape; Hoop pattern

SIZES

• 77, 82, 87, 92, 97, 102, 107, 112,117

COLOUR

Orange






- 1. Contrast double stitching throughout for strength
- 2. Cargo pocket with Velcro fastening for convenience
- 3. FR Venting underarms and back to allow for airflow and comfort
- 4. FR 3M[™] (8935) reflective tape for Day/Night use

FLUORO YELLOW SAFETY VEST







FEATURES

- Australian Standards Class D
- Day Use
- Sizes: S, M, L, XL, 2XL, 3XL, 4XL
- Sold and packaged individually

FLUORO ORANGE SAFETY VEST

SVO-NT

FEATURES

- No reflective tape compliant to Australian Standards - Class D
- Day Use

FEATURES

• Day / Night Use

- Sizes: S, M, L, XL, 2XL, 3XL, 4XL
- Sold and packaged individually

• With 'H' Back 3M ™reflective tape to meet Australian Standards - Class D/N

• Sizes: S, M, L, XL, 2XL, 3XL, 4XL Sold and packaged individually

FLUORO YELLOW H BACK SAFETY VEST

FLUORO ORANGE H BACK SAFETY VEST

SVY-AS

SVO-AS









Sold and packaged individually

FLUORO YELLOW X BACK SAFETY VEST SVY-ASX

FEATURES

- With 'X' Back 3M[™] reflective tape to
- meet Australian Standards Class D/N
- Day / Night Use
- Sizes: S, M, L, XL, 2XL, 3XL, 4XL
- Sold and packaged individually

FLUORO ORANGE X BACK SAFETY VEST

SVO-ASX

- **FEATURES**
 - With 'X' Back 3M[™] reflective tape to meet Australian Standards - Class D/N
 - Day / Night Use
 - Sizes: S, M, L, XL, 2XL, 3XL, 4XL
 - Sold and packaged individually



SVY-NT





FEATURES

- Lightweight polypropylene material with hood and elastic waist, cuff and ankle
- Easy to put on and remove
- Two way zipper for when nature calls
- Ready access to clothing underneath
- Durable and economical
- Sizes: M, L, XL, 2XL, 3XL
- Sold and packaged individually

PROVEK TO DISPOSABLE COVERALLS

FEATURES

- Made from a polyethylene (Olefin) film laminated to a polypropylene spun bound -non-woven substrate
- Lightweight and soft with excellent strength
- Breathability to reduce moisture build up
- Water vapour permeable & water repellent
- Excellent barrier to dust and broad range of chemicals
- Type 5 and Type 6 protection
- Two way zipper for when nature calls
- Ready access to clothing underneath

YELLOW PVC RAIN PANTS (RP)

• Pocket slots allow access to pockets

Yellow PVC/Polyester with

elastic waist and ankle

of clothing underneath

• Sizes: S, M, L, XL, 2XI, 3XL, 4XL

Sold and packaged individually

- Sizes: M, L, XL, 2XL, 3XL
- Sold and packaged individually



YELLOW PVC RAIN JACKET / PANTS

YELLOW PVC RAIN JACKET (RJ)

- 3/4 length PVC/Polyester jacket with elastic cuffs plus studs
- Two large pockets, hood with drawstring
- Sizes: S, M, L, XL, 2XI, 3XL, 4XL
- Sold and packaged individually

YELLOW PVC RAIN COAT

FEATURES

- Full length PVC/Polyester jacket with elastic cuffs plus studs
- Two large pockets

- · Hood with drawstring
- Sizes: S, M, L, XL, 2XI, 3XL, 4XL
- Sold and packaged individually

HIGH VIS RAIN SUIT JACKET & PANT SET

RSHV(Colour)

RC

FEATURES

- Jacket & Pant Set
- PVC/Polyester with elastic cuffs plus studs
- Two large pockets

- Hood with drawstring
- Sizes: S, M, L, XL, 2XL, 3XL, 4XL, 5XL
- Sold and packaged individually





DOWP

FOOT PROTECTION

PROTECTION

100% COMFORT GUARANTEED.

If you work on your feet all day, comfort is absolutely essential. So whatever game you're in, demand the 100% comfort of Steel Blue work boots.

STANDARDS

Independently Certified to Major International Safety Standards.

- Australian/NZ Standard AS/NZS 2210.3
- American Standard ASTM F2413
- European Standard EN ISO 20345

COLOUR OPTIONS

BLACK

SPECIAL FEATURES

These symbols display each boot's performance characteristics.

ANTI-STATIC



Boots with anti-static properties are designed to reduce the build up of excess static electricity by conducting body charge to the ground.



WATER RESISTANT The soling material of all steel Blue Boots is actually waterproof. It is the upper



materials and the stitching process that determines the level of water resistance. STEEL TOECAP

All of the boots with the steel safety toecap feature steel safety feature offer premium protection for your toes.





The specially designed Nitrile Outsole helps to reduce the build-up of excess static electricity, offering a level of protection against the ignition of flammable materials.



AIRPORT FRIENDLY Airport friendly safety toecaps are entirely non-metallic. In fact, the entire boot is virtually free of metal components.

REDWOOD



PURPLE

CHEMICAL RESISTANT

The special leather used in these boots is caustic soda and sulphuric acid resistant.

WHISKEY

WHEAT

36 | FOOT PROTECTION | CES PRODUCT CATALOGUE

CHARCOAL























ARGYLE

FEATURES

• Size: 3 - 16

- Colour: Black, Whiskey, Wheat Nubuck or Purple
- Material: Premium water resistant full-grain waxy (or Nubuck) leather, Baltico® linings and stitched with nylon thread. PU Midsole, anti-static TPU Outsole as standard

TORQUAY

FEATURES

- Size: 3 14
- Colour: Black or Wheat Nubuck
- Material: Premium water resistant full-grain waxy (or Nubuck) leather with Fuchsi[®] linings. PU Midsole, antistatic TPU Outsole as standard

COLLIE

FEATURES

- Size: 3 14
- Colour: Wheat Nubuck or Whiskey
- Material: Premium water resistant fullgrain waxy leather (or Nubuck), stitched with Kevlar [®] thread. PU Midsole, antistatic Nitrile Outsole as standard

HEELER

FEATURES

- Size: 3 14
- Colour: Redwood only
- Material: Chemical and water resistant leather. Combat Superknit ® linings and stitched with Kevlar® thread PU Midsole, anti-static Nitrile Outsole as standard
- WAGGA

FEATURES

• Size: 3 - 14

- Colour: Charcoal
- Material: Premium water resistant suede leather Combat Superknit [®] linings and stitched with nylon thread. PU Midsole, anti-static TPU Outsole as standard
- **ARGYLE LADIES**

FEATURES

- Size: 4 11
- Colour: Black, Wheat Nubuck or Purple
- Material: Cowhide water resistant full-grain waxy leather (or Nubuck), Baltico® linings and stitched in nylon thread. Non-corrosive lacing.

- Style: 110mm hiker style ankle lag boot with padded collar and tongue
- Special Features: Special Features: 200J Safety Steel Toecap
- Application: Hiker



- Style: 140mm derby style lace-up ankle boot with padded collar and tongue
- Special Features: 200J Safety Steel Toecap, Ladies Fit
- Application: Industrial & Construction

- Special Features: 200J Safety Steel Toecap, 3/4 bellows tongue
- Application: Industrial & Construction
- Style: 150mm high lace and zip-up ankle boot with padded collar and tongue
- Special Features: 200J Airport Friendly Toecap, Mako Toe Guard, zip fastener for quick closure and simple release
- Application: Industrial & Construction

• Style: 210mm high leg zip-sided boot with padded rear collar

- Special Features: 200J Safety Steel Toecap, zip fastener for quick closure and simple release
- Application: Industrial & Construction

322315

- Style: 250mm calf height lag pull-on boot
- Special Features: 200J Safety Steel Toecap, Chemical Resistant
- Application: Chemical, Oil & Gas

312207





617539

322099

FOOT PROTECTION

FOOT PROTECTION TOUGH BOOTS FOR TOUGH JOBS

WIDE-FIT TECHNOLOGY

For comfort, every Howler boot is designed around a special wide-fit mould. And the wide-profile toecaps are scientifically shaped to create extra room for your toes.

TOUGH OUTSOLE

With either the Thermo Plastic Urethane (TPU) Outsole, or the Nitrile Outsole, our soling materials offer superior abrasion resistance. Both the TPU or the Nitrile outsole helps reduce the build-up of excess static electricity, offering a level of extra protection against flammable materials. Nitrile is also oil and acid resistant, plus heat resistant to 300 °C (572°F), so it takes 30 seconds before the sole reaches melting point. With either the Nitrile or TPU outsole, Howler soles are built to last.

COLOUR OPTIONS

BLACK

BROWN

WHEAT

STANDARDS

HOULEF

Independently Certified to Major International Safety Standards.

- Australian/NZ Standard AS/NZS 2210.3
- American Standard ASTM F2413
- European Standard EN ISO 20345













CANYON

FEATURES

- Colour: Black, Brown or Wheat
- Size: 4 14
- Style: 150 mm Ankle lace-up, padded collar, Fully-lined interior
- Special Features: 200J Steel Toecap

CANYON ZIP

FEATURES

- Colour: Black and Wheat
- Size: AUS: 4 14
- **Style**: 150 mm Zip sided lace-up, padded collar, Fully-lined interior
- Special Features: 200J Steel Toecap

SIMPSON

FEATURES

- Colour: Black, Brown or Wheat
- Sizes: 4 14
- Style: 170mm high leg lace-up, padded collar, fully-lined interior
- Special Features: 200J steel toecap
- **KALAHARI**

FEATURES

- Colour: Black only
- Sizes: 4 14
- **Style:** 140mm elastic sided, woven pull-loops, pull-on style
- Special Features: 200J steel toecap
- Materials: Buffalo Barton water resistant pebbled leather EVA footbed with poly mesh cover, anti-static foot-bed PU injection anti-static midsole, TPU anti-static outsole

412470

SAHARA

FEATURES

- Colour: Black only
- Sizes: 4 14
- Style: 120mm ankle boot, padded collar
- Special Features: 200J steel toecap
- Materials: Buffalo Barton water resistant pebbled leather, suede tongue, PU foam padded collars, EVA foot-bedwith poly mesh cover, anti-static footbed, PU injection anti-static midsole, TPU anti-static outsole



KOKODA

- FEATURES
- Colour: Black, Brown or Wheat
- Sizes: 4 14
- **Style:** 140mm elastic sided, woven pull-loops, fully-lined interior
- Special Features: 200J steel toecap
- Materials: Buffalo waxy or suede water resistant leather, fully-lined with poly mesh, EVA foot-bedwith poly mesh cover, anti-static footbed, PU injection antistatic midsole, TPU anti-static outsole

• Material: Buffalo waxy or suede water resistant leather, Suede Tongue, PU foam padded collars, Fully-lined with Poly Mesh, EVA foot-bed with Poly Mesh cover, anti-static foot-bed, PU Injection antistatic Midsole, TPU anti-static Outsole



 Material: Buffalo waxy or suede water resistant leather, Suede tongue, Fullylined with Poly Mesh, EVA foot-bed with Poly Mesh Cover, anti-static foot-bed, PU Injection anti-static Midsole, TPU anti-static Outsole

412453

 Materials: Buffalo waxy or suede water resistant leather, suede tongue PU foam padded collars buffalo styles fully-lined with poly mesh, EVA foot-bed with poly mesh cover anti-static footbed, PU injection anti-static midsole, TPU anti-static outsole

412471





PERSONAL PROTECTIVE EQUIPMENT & SAFETY GEAR SAFETY FIRST IS SAFETY ALWAYS

CRANES & EQUIPMENT SERVICES CO., LTD.

HEAD OFFICE

41/13 Moo.1 Tungsukhla, Sriracha, Chonburi 20230, Thailand +66 38 766 285-6 | +66 38 766 287 | sairung@ces-thailand.com

SONGKHLA BRANCH

120/13 M.1 Chingkho, Singhanakorn Songkhla Thailand 90280 +66 894 623 682 | nanthawan@ces-thailand.com

MYANMAR BRANCH

Pearl Condo, Block B, G/F Room 18, Ka Bar Aye Road, Yangon, Myanmar +959 421 031 286